

# Rittal – The System.

Faster – better – everywhere.

## **Outlet Filters Standard – SK 3240.200**

Date : May 24, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Outlet Filters Standard – SK 3240.200

created: 24.05.2018 build on [www.rittal.com/us-en](http://www.rittal.com/us-en)



## Product description

**Description:** For ventilation by convection, an outlet filter can be installed in the upper and lower sections of the enclosure.

**Material:** ABS  
Material resistance to UL 94-5VA

**Color:** RAL 7035

**Protection category IP to IEC 60 529:** IP 54 including filter mat

**Protection category NEMA:** NEMA 12

**Supply includes:** Outlet Filters  
Filter mat

## Product features

**Dimensions:** Height: 255 mm (10 ")  
Width: 255 mm (10 ")  
Depth: 25 mm (0.98 ")

**Required mounting cut-out:** Height: 224 mm  
Width: 224 mm

**Packaging unit:** 1 pc(s).

**Weight/packaging unit:** 0.56 kg (1.2 lb.)

EAN: 4028177651975

Customs tariff number: 39269097

ETIM 6.0: EC002513

ETIM 5.0: EC002513

eCl@ss 8.0/8.1: 27180706

eCl@ss 7.0/7.1: 27180706

eCl@ss 6.0/6.1: 27180706

eCl@ss 5.1/5.1.4: 27180706

Product description (long): SK outlet filter, Standard, WHD: 255 x 255 x 25 mm

## Approvals

Approvals: CSA  
UL + C-UL - FTTA  
UR + C-UR